

2020 CERTIFICATION

| Consumer (| Confidence Report (CCR) | Ok commit |
|--|--|---|
| - Town of hew How Ka | Houlks Was | hingston Ext. |
| Town of New How/Ka Publi | ny water System Name | 580053 |
| List PWS ID #s for all Con | nmunity Water Systems included in this (| 2000 |
| The Federal Safe Drinking Water Act (SDWA) requires each Confidence Report (CCR) to its customers each year. Depending the customers, published in a newspaper of local circulation, procedures when distributing the CCR. | Community Public Water System (PWS | s) to develop and distribute a Consumer |
| CCR DISTRIBUT | ION (Check all boxes that apply.) | |
| INDIRECT DELIVERY METHODS (Attach copy of publica | tion water bill or other) | DATE SSUED |
| at Advertisement in local paper (Attach copy of advertisem | ent) | |
| 政 On water bills (Attach copy of bill) | | 6-/6-2021 |
| □ Email message (Email the message to the address below | w) | 6-10-202) |
| □ Other | | |
| DIRECT DEHIVERY METHOD (Augus or poly of publication) | Water bill er omer). | DI TE COULT |
| □ Distributed via U. S. Postal Mail | The state of the s | SA E SOUED |
| □ Distributed via E-Mail as a URL (Provide Direct URL): | | |
| □ Distributed via E-Mail as an attachment | | |
| □ Distributed via E-Mail as text within the body of email me | ssage | |
| □ Published in local newspaper (attach copy of published C | CR or proof of publication) | |
| □ Posted in public places (attach list of locations) | | |
| ☐ Posted online at the following address (Provide Direct URL): | * | |
| I hereby certify that the CCR has been distributed to the cabove and that I used distribution methods allowed by the sand correct and is consistent with the water quality monitor Water Supply Name | ERTIFICATION ustomers of this public water system SDWA. I further certify that the inforing data provided to the PWS official | in the form and manner identified mation included in this CCR is true als by the MSDH, Bureau of Public |
| | Intle | Date |
| You must email, fax (not preferred), or ma | ONS (Select one method ONLY) | San L. C. Manua |
| iviali: (U.S. Postal Service) | Email: water.reports@msdh. | |
| MSDH, Bureau of Public Water Supply | water reports winson. | IIIS.gov |
| P.O. Box 1700 Jackson, MS 39215 | Fax: (601) 576-7800 | (NOT PREFERRED) |

PROOF OF PUBLICATION

THE STATE OF MISSISSIPPI COUNTY CHICKASAW

| Before the undersigned authority of sappeared before | , clerk of a public newspaper unty of Chickasaw, State of arnal, who, being duly sworn, doth f the notice hereto affixed has been |
|---|---|
| Vol. 115 No. 34 on the 16 da | ay of , 2021 |
| Vol No, on the da | y of , 2021 |
| Vol No, on the da | y of, 2021 |
| Vol No, on the da | y of, 2021 |
| Vol No, on the da | y of, 2021 |
| Laca | Legal Ad Clerk abscribed to this the 8 day of, 2021 before me, the undersigned of said County of Chickasaw. By: Notary Public |
| OF MISS/SS/OB NOTARY PUBLIC NOTARY PUBLIC NO 80038 Commission Expires February 5, 2022 Col Light IN COUNT | Printer's Fee: 282.60 |

2020 Annual Drinking Water Quality Report Town of New Houlks PWS#: 0090003 & 0680023

Were placed to pretent to you this your Annual Guider ware Report. This report is despired to before you should be qualify these are sending to the property of charing value. We send you to understand the other on many or contained purple of the property of charing value. We send you to understand the other on many or contained to property or contained to any other contained purple or the value occurs and present our water consume. We are convenied to excepting the quicky or your water. Our water assure to have well dissert on the Customic Stan and Righty Agustine.

The source water assessment has been computed by our public water reptain to discover the example sectorable; of the contain water supply in claimful power of the containment of the co

If you have any spectrost about this report or concerning your value soldly, please contact Daniel Ray or \$622,442.3165. We was our cabbs contact to be informed about these values daily. If you must be been more, please alled buy of our registery extractions consider. They are half on the Treating of the month or 600 PSE of 201 Walter, Shoret.

We wouldnot examine for continuence in your ministing name according to Federal and Basin bows. This table bother locks all of the working name according to Federal and Basin bows. This table bother locks all of the working name according to Federal and the bows and the second process of the second according to the s

In any lates you will And maliny feeter sed elizarvisations you majed sol to familiae with. To hidp you belief and/calleted these lacens with provided the following deliverage of maliny feet and calleters.

Action Lovel - the concentration of a construction which, it cutested biggers exhibited or other requirements which is make eyeach inself show

Minimum Commissed Earls (MCS) - The "Manimum Abused" (MCS) in the legislat level of a conference risk in anomal in dentary under, MCS, and set as come to the INTECO and racible over 6 of their averable inversed individuals.

Management from the BUC (0) - The Towl (AC) is the food of a constraint to drawn, under some earth table is the brown of expessed pair to hook.

William to be a major of soft.

illermore recorded Dashibuted Earl (ISSQL) — The agress ones of a distinction above in demang active. There is pominising relations that addition in a distriction is a confidence of the addition of the active confidence o

Management Constraint Level Floor purification has break or a management and a service for the latter of a specied rick of feathrest Level for the latter of the latter of constraints for the latter of constraints of the latter of constraints for the latter of the latter of constraints for the latter of the la

Partie, rive callence great or Malaymetes part Clar (eq.1% -cone part specifical accomplycade to creat country in tast (years or a triggle general or \$1.000).

| PWS 10#:009 | 00003 | | | PEST RESULTS | - | district to | | they Source of Contamination |
|--------------|-----------------|-------------------|-------------------|--|-------------------------|-------------|-------|--|
| Contamidant | Valation Y5V | Traje Columned | Caval Detected | Hangs of Detects of all of Samples Guerrang ACCIACS | that Mason respit | MCFQ | 00. | Carl Barra of Consultation |
| Inorganic Co | colmanios | oft | | | 133 | Market. | 100 | |
| 8. America | Я | 2000 | 1,2 | tio Range | gçis | ti's | - 10 | Ensien of national deposition national trees exchanges cancel from gives and electronica production waste. |
| IG: Barlum | R | 2020 | ,0382 | 0052 - 0182 | ppm | 2 | 2 | Discharge of thicking vestes. Sectorge from metal refresses erection of totals account |
| 13. Chromban | N | 2020 | 7 | 1,811 | dáa | 160 | 100 | Discharge from steel and culti- edite; excessor of failural decopte. |
| 12. Disposi | H | 2016/20 | ,J | 0 | ppen | 1.5 | Yell | cyclens; erodon of natural decoality leaching from erodi professiones |
| to Fluorisa" | н | 2076 | an | 3119 - ,170 | tos | 1 | 52512 | Experient of fashing deposits water addition which promoted strong seets; discharge from terditor to stignished factories |
| 17. (,ead | ii | 3016150 | 7 | 0 | ppb | 10 | ALes | |

| Sodum | N | 1619* | 100000 | tio Rango | 500 | | 1 | Road Sale, Water Tourisons on Cramicals, Water Softman on Springs Effects |
|------------------|-------|--------|--------|-----------|-----|---|----------|---|
| Disinfection ! | By-Pr | odučta | | | | | | By Product of Gration satur |
| B1: HAAS | U. | 20164 | 1 | Na Henon | epb | 0 | | danderfor. |
| 82.77HJU Moul | N | 2015* | 1,12 | Na Respe | ktp | 0 | 85 | Becomment of debtard solar chis/carton |
| Chicago (Laces) | H | 2020 | 15 | 34-274 | 246 | 0 | 1/0/1 +4 | Widowald for used in cordor arcycles |

| WS 10#: 0: | The second | | | RESULTS Panga of Detacts of | the | Moun | MCR. | Lively Source of Constitionation |
|--------------|------------|-------------------|-------------------|-------------------------------------|-------|------|---------|--|
| es tuet hark | Vesician | Bule Collected | Layer Detocles | Fol flamples Excepting MCLIAC | enos: | 1 | ion 4 | Christian |
| laurganle C | ontamina | nte | 1/4 | FIDC# | 1 | - | - | Discharge at delling winder. |
| 1Q Barium | 1) | 2019 | 2956 | 1601 - 0100 | pom | 1 | V 18 | discharge from metal refineres. enation of restored disposits |
| 14 Copper | N. | 2018/20 | #17 | 2010 | epis | - 49 | ALVIS | dystress; enscriptions of a deposits; leading feet word preservatives. |
| 16 Flands | N | 2010* | .300 | 76-300 | CENT | 1 | 10 | Erodian of Admini Process, water addition which provides \$2700, teater, forther prices to fall for significant factories. |
| 17.1445 | N | 1016/20 | 1 | 0 | 160 | | D AL-H | points, section of natural |
| Sofue | H | 20101 | 1,0000 | 175000 - 1600X | ren | 1 | 0 | Road Salt, Water Touchers Chamicals, Water Botherers and Sangar Efficients |
| Disinfect | Ion Beat | Penduets | | Walter III | TÉ | | | the state of the s |
| AS HAAS | ION DY-1 | 2010 | 1 | 3.4 | poè | 9 | - 60 | thy-Product of district videor distriction. |
| Chiorica | IN . | 2020 | 12 | 5-124 | 1000 | 0 | ucot.×4 | Water addition used to spenier exposition |

* Descripted simple. We consider anything for 2020.

Le restricted simple. On considering the construction of the construction


We we subject to monthly your desting state for mainfar commissions on a manning times. Popular of impact immuning one or extracts (a whether an infant infant deviation. On England 6 500000 tarry any 10000 in old one complete all ventioning of visits) for interestinging all destinations are followed in standard on the popular of or Colony maintaining all ones. We were demand in this is carried took toose for have been also popular or or Colony maintaining and the way of the popular or or Colony maintaining the one of the same took toose. We have those been do explained tongle boot followed on the making description.

It present, encount faces of find can take prototy learns, preliment, expending by propries among and printing prototy for retaining and configuration expected with environment of the many printing. Do some system is respected for present given printing of the many printing of the many printing of the many printing printing of the many point of the man

All popose of gracing many are sequent to extend declarationally of functioners and translating consisting or man aroun. These declaracy continues congress or organic discounts and indexest establishments. All devices included to reflect the analysis of control of the control

From process way in more excellent by continuously of doubley waste from the general population, formulae conservatives groupe made an entire or continuously demonstrately, process who have intrasprise organ standards, and principles, the standards of the formulae continuously of the standard organization organization or the standard organization or the standard organization or the standard organization or the standard organization organization organization or the standard organization or

The Young the Mouse wouse mount for core in provide the surely made to come you. We set the our trailments and the provide cut water features which are the board of constantly, our very of the adults are the core of the board on a basic of these.



*իմիիկ*Ումբին]||ժենոիմում||իմՈւյլիակումիոն|||յմ

1

2020 Annual Drinking Water Quality Report Town of New Houlka PWS#: 0090003 & 0580023

June 2021

2021 JUN -7 AM & 02

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Eutaw/McShan and Ripley Aquifers.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Town of New Houlka have received moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact David Ray at 662.542.3180. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Tuesday of the month at 6:00 PM at 201 Walker Street.

We routinely monitor for contaminants in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2020. In cases where monitoring wasn't required in 2020, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. It's important to remember that the presence of these contaminants does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000

| PWS ID#:00 | 90003 | | 7 | TEST RESULTS | 5 | | | |
|----------------|------------------|-------------------|-------------------|---|--------------------------|------|--------|--|
| Contaminant | Violation Y/N | Date Collected | Level Detected | Range of Detects or # of Samples Exceeding MCL/ACL | Unit Measure -ment | MCLG | MCL | Likely Source of Contamination |
| Inorganic C | ontamina | nts | | | | | | |
| 8. Arsenic | N | 2020 | 1.7 | No Range | ppb | n/a | 10 | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes |
| 10. Barium | N | 2020 | .0362 | .03520362 | ppm | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| 13. Chromium | N | 2020 | 2 | 1.9 – 2 | ppb | 100 | 100 | Discharge from steel and pulp mills; erosion of natural deposits |
| 14. Copper | N | 2018/20 | .3 | 0 | ppm | 1.3 | AL=1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |
| 16. Fluoride** | N | 2020 | .172 | .118172 | ppm | 4 | 4 | Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories |
| 17. Lead | N | 2018/20 | 2 | 0 | ppb | 0 | AL=15 | Corrosion of household plumbing systems, erosion of natural deposits |

| Sodium | N | 2019* | 1000 | 00 No Range | PI | РВ | 0 | Road Salt, Water Treatment Chemicals, Water Softeners and Sewage Effluents. |
|--|--------|--------|------|-------------|------|----|----------|---|
| Disinfection | By-Pro | oducts | | | | | | |
| 81. HAA5 | N | 2018* | 3 | No Range | ppb | 0 | 60 | By-Product of drinking water disinfection. |
| 82. TTHM [Total trihalomethanes] | N | 2019* | 1.12 | No Range | ppb | 0 | 80 | By-product of drinking water chlorination. |
| Chlorine | N | 2020 | 1.3 | .34– 2.74 | mg/l | 0 | MDRL = 4 | Water additive used to control microbes |

| PWS ID#: | 0580023 | | TEST | RESULTS | | | | | |
|--------------|------------------|-------------------|-------------------|---|------|------|-----|--------|---|
| Contaminant | Violation Y/N | Date Collected | Level Detected | Range of Detects # of Samples Exceeding MCL/ACL | | sure | CLG | MCL | Likely Source of Contamination |
| Inorganic (| Contamina | nts | | | | | | | |
| 10. Barium | N | 2019* | .0166 | .01610166 | ppm | | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| 14. Copper | N | 2018/20 | -1 | 0 | ppm | | 1.3 | AL=1.3 | 3 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |
| 16. Fluoride | N | 2019* | .909 | .76 – .909 | ppm | | 4 | 4 | Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories |
| 17. Lead | N | 2018/20 | 1 | 0 | ppb | | 0 | AL=1 | 5 Corrosion of household plumbing systems, erosion of natural deposits |
| Sodium | N | 2019* | 180000 | 170000 - 180000 | PPB | | 0 | (| Road Salt, Water Treatment Chemicals, Water Softeners and Sewage Effluents. |
| Disinfecti | on By-Pı | roducts | | | | | | | |
| 81. HAA5 | | 2016* 4 | 3 | 5 - 4 | ppb | 0 | | 60 | By-Product of drinking water disinfection. |
| Chlorine | N | 2020 1. | 7 .: | 3– 2.74 | mg/l | 0 | MDI | RL = 4 | Water additive used to control microbes |

^{*} Most recent sample. No sample required for 2020.

Microbiological Contaminants:

(1) Total Coliform/E Coli. Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially harmful, waterborne pathogens may be present or that a potential pathway exists through which contamination may enter the drinking water distribution system.

Disinfection By-Products:

Chlorine. Some people who use water containing chlorine well in excess of the MRDL could experience irritating effects to their eyes and nose. Some people who drink water containing chlorine well in excess of the MRDL could experience stomach discomfort.

We are required to monitor your drinking water for specific contaminants on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. On System # 580023 during July 2020, we did not complete all monitoring or testing for bacteriological and Chlorine contaminants and therefore cannot be sure of the quality of our drinking water during that time. We were required to take 1 samples and took none. We have since taken the required sample that showed we are meeting drinking water standards.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1.800.426.4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1.800.426.4791.

The Town of New Houlka works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.